

Monero Ring Attack: Recreating Zero Mixin Transaction Effect

Dimaz Ankaa Wijaya¹, Joseph Liu¹, Ron Steinfeld¹, Dongxi Liu²

¹Faculty of Information Technology, Monash University, Australia
{dimaz.wijaya, joseph.liu, ron.steinfeld}@monash.edu

²Data61, CSIRO, Australia
dongxi.liu@data61.csiro.au

Abstract— Monero is one of the privacy-preserving cryptocurrencies employing CryptoNote protocol. The privacy features in Monero are provided by cryptographic techniques such as linkable ring signature and one-time public key. Recent studies show that the majority of Monero inputs are traceable prior to mandatory RingCT transaction. After the RingCT was implemented, the problems were mitigated. We propose a novel attack to reduce the anonymity of Monero transactions or even to fully deanonymise the inputs. The proposed protocol can be launched in RingCT protocol and enables multiple attackers to collaborate without trusting each other. The attack scheme can be planted in the existing Monero services without extra fees and without putting the users' money at risk.

Keywords—Monero; ring signature; anonymity; privacy; traceable

I. INTRODUCTION

Monero is one of the most valuable privacy-preserving cryptocurrencies in the world. It is built based on blockchain technology where the transaction data is visible to everyone, similar to Bitcoin [1]. But, unlike in Bitcoin where anyone can track the flow of money between addresses, in Monero the observers cannot do the same. Ring signature and one-time public key technologies are implemented as the default settings to improve the anonymity of the transaction data. The real senders are obfuscated by adding multiple decoys where the set of possible senders are equal and cannot be distinguished among each other. The one-time public key means for each output there will be a unique address being created, while the real address of the receiver is never revealed in the blockchain. Without any additional information, it is infeasible to determine which addresses belong to a specific user.

Despite the privacy-preserving methodologies were already implemented in Monero, there are at least four different analyses that have been developed to reveal hidden information in Monero environment. These analyses were successfully conducted due to the transparency of the blockchain data, liquidity problem, and identified users behavior.

We propose a novel attack against the Monero untraceability. The proposed attack can be used to reveal the

real outputs being spent in Monero transactions or at least reduce the anonymity of the inputs. The attack scheme can be conducted by a single attacker or multiple attackers colluding to launch the scheme without the need of trusting each other. Each attacker will take the benefit of others' results. Our attack is effective to be conducted in RingCT environment where the transaction amount cannot be seen by an observer. Constructing a "malicious transaction" as described in the proposed attack scheme will not cost an extra fee if the attack is attached into an existing service.

II. BACKGROUND

A. Monero

Monero is a cryptocurrency forked from an existing cryptocurrency called Bytecoin. Both of the coins are based on a protocol called CryptoNote, a protocol proposed by Nicolas van Saberhagen (pseudonym) in 2013 [2]. The focus of the protocol is to create a privacy-preserving cryptocurrency. In Bitcoin, there are problems related to the anonymity of the users. Previous studies were able to determine information regarding the bitcoin users and what activities they conduct by using bitcoin [3]. Moreover, a graph analysis discovers the transaction patterns by malicious actors [4].

The main feature of Monero is the existence of "plausible deniability". It is infeasible to determine which public keys are being spent in the transactions over a set of public keys (there is only 1 public keys being spent in an input constructed by several public keys). Hence, other public keys are the decoys (fake ones). Despite this feature is the main appealing feature of Monero, limitations in its real world usage hinder the system to reach its full potential. Analyses have shown that a large part of Monero transactions can be traced [5, 6].

As with any other cryptocurrencies, there are at least 2 participants that make up the environment: daemons and wallets. Monero daemon is a server providing information to the clients. Monero daemon synchronizes the blockchain data to its peers and keep a complete record of all transactions in a local storage. When creating a transaction, Monero Wallet cannot work by itself; it requires information supplied by the Monero Daemon. It is because in Monero, each real output to be spent in an input needs to be

obfuscated with several other outputs (decoys). These decoys are often called as mixins. The decoys together with the real output are used to construct ring signature. The number of the decoys and the real output is called ring size.

The decoys are real public keys already showing up in the blockchain. In other words, these decoys are outputs of other transactions. These public keys are grouped based on the amount of coins contained in the public keys and then indexed sequentially based on their appearance in the blockchain in time series.

B. Monero Anonymity

The anonymity of Monero is broken down into two parts: unlinkability and untraceability [2]. Unlinkability is defined as the following. For any two different transactions, it is impossible to decide whether they are sent to the same person. Untraceability is defined as follows: for a set of inputs, it is impossible to decide which input is being spent by the transaction [5]. Based on the definition, unlinkability is about protecting the receiver, while untraceability is about protecting the sender.

Both untraceability and unlinkability are included in the CryptoNote protocol as the focus of the system. The untraceability is reached by employing ring signature. The unlinkability is ensured by using one-time public key.

1) Ring Signature

The ring signature construction in CryptoNote was derived from previous works on linkable ring signature [7] and traceable ring signature [8]. These constructions ensure that signatures can be determined to be signed by the same public key if the public key is used to sign more than once. The characteristic is important in cryptocurrency to avoid double spending. Double spending is an event where a coin (or a balance) is spent more than once during its lifetime. If double spending is allowed in any cryptocurrency product, then the coins in the system is worth nothing and cannot be used as a medium to store value [9].

In Monero, the ring signature is constructed by combining several existing outputs (called decoys or mixins) which have the same amount of coins into a single input. These outputs must have a real output which will be spent in the transaction. A transaction might have multiple inputs and multiple outputs as well.




Fig. 1. The structure of a Monero Transaction. Multiple outputs in an input constructed by mixing other outputs with the real output.

The purpose of the ring signature is to reduce the possibility of an adversary to guess a real output over a number of outputs N . The probability (P) of guessing the real output being spent in an input is denoted as

$$P = \frac{1}{N}$$

2) One-Time Public Key

The one-time public key employed in the CryptoNote protocol is somewhat similar to the stealth address which was created in Bitcoin ecosystem [10, 11]. In the scenario, the receiver sends a set of “parent public keys” to the sender. The sender then generates new “child public keys” by using random values, which are included in the transaction data in encrypted format [12].

The receiver scans the network for new transactions and compute the secret key of each transaction by using the parent private keys she holds. If a result matches the destination key, then she includes the transaction in her wallet as an incoming transaction.

By using the one-time public key, it is assured that only the sender and the receiver knows the relations between the parent public key and the child public keys involved in the transaction. An observer cannot analyse the relationship between the public key and the child keys without any additional data, even if the observer has an access to the blockchain.

3) Ring Confidential Transaction

Confidential Transaction is a technique employing Pedersen commitment to hide the amount of coins in the transactions [13]. It is then implemented in the ring signature scenario to create Ring Confidential Transaction (RingCT) [14]. The main requirement for constructing a ring signature is that each ring member must have the exact same amount of coins and therefore the real one cannot be distinguished from the decoys. The purpose of implementing the RingCT is to mitigate the problem of liquidity by hiding the amount of coins contained in the public keys.

C. k -Anonymity

The term k -anonymity is used to model data privacy where an information within a set of K cannot be distinguished among other $k-1$ elements of K [15]. In a ring signature that contains > 1 elements, the anonymity of each element depends on other elements such that if any elements n can be removed from the anonymity set, each remaining element has $k-n$ anonymity.

In Monero, k -anonymity can be used to draw the anonymity level of every input containing multiple outputs as the decoys. The anonymity of the real input depends on the indistinguishability of each decoy and the number of decoy used.

D. Threat Model

We define the threat model in Monero as follows. Everyone has the ability to see all information stored in Monero blockchain. The security of the confirmed transactions depend on the consensus model of Monero. We also define two types of attacker, Attacker A and Attacker B. The Attacker A has a sufficient fund to create transactions, but does not have any access to coin exchanges or wallet services software.

There exists a group of Attacker A = [A₁, A₂, A₃, ...] colluding to attack the system but they do not trust each other. The Attacker B has all ability owned by the Attacker A plus the ability to modify coin exchanges or wallet services software. There also exists a group of Attacker B = [B₁, B₂, B₃, ...] colluding without trusting each other. The Attacker A and Attacker B can also collude to get the best result out of their efforts. Attackers conduct all phases in the proposed method.

III. KNOWN ATTACKS AGAINST MONERO ANONYMITY

A. Black Marbles Attack

This paper uses the term “Black Marbles Attack” to refer to an attack against the Monero anonymity by controlling as many outputs as possible in the Monero blockchain [16]. It is said that an attacker, tries to control more outputs in the Monero blockchain. If all the outputs of the blockchain are assumed as marbles in an urn, the black marbles are the outputs controlled by the attacker, while the white marbles are the honest outputs created by the users. The urn is the shared ledger (the blockchain) where the black marbles (bad outputs) and the white marbles (good outputs) are stored and visible to all observers.

To maximise the impact of the attack, the attacker needs to create more outputs (the black marbles) to have more number than other users’ outputs (the white marbles). This is achieved by sending the coins back to her own address [17]. The attacker needs to constantly add more black marbles to the urn in order to increase the probability of her outputs being picked up by new transactions as decoys.

B. Zero Mixin Transaction and Cascade Effect

In Monero, a zero mixin transaction is a transaction which has at least one input using no decoys or mixins. Zero mixin transactions do not have any anonymity feature offered by the ring signature. Therefore, any observers can immediately trace the real sender of the transaction.

The ring signature is an effective method to create a plausible deniability for untraceability under an optimum environment: there exist enough outputs that share identical characteristics such as age and amount of coins contained in the outputs). Unfortunately, this environment could not be sufficiently provided by Monero prior to the release of the mandatory RingCT usage.

Although the users were urged to split their transactions according to a specific denomination regulation, this regulation was never strictly applied. A unique amount of coins can still be confirmed in the transaction although it will create a liquidity problem where the user cannot find other outputs containing the exact same amount of coins. For all outputs that cannot be combined with any other outputs, the users create a zero-mixin transaction: an input contains only the real output without any mixin or decoys.

Although the zero mixin transactions were described as having a cascade effect towards the anonymity of other transactions [16, 17], new investigations show that the impact is greater than expected. Based on techniques presented in the previous research, the impact is reaching the

rate of 87% [5] and 62% [6]. It means that at least more than half of all analysed inputs (prior to RingCT) can be distinguished between the decoys and the real outputs.

C. Temporal Analysis

The zero-mixin transaction analysis also reveals that in most cases, the real outputs being spent are the most recent outputs [6]. The extrapolation of the gathered data mentions that 80% of the real outputs that can be detected are the newest. The uniform mixin sampling used by the system could not hide this characteristics.

A new sampling method, triangular distribution, was introduced to mitigate the problem. Triangular distribution protocol describes that at least 25% of all decoys must be taken from recently added outputs. By using this technique, the mixin sampling is expected to resemble the users’ behavior of spending the coins.

D. Publishing Private Viewkeys

The private viewkey is a feature within Monero system to provide an auditability of the coins owned by a user. Assuming that the user provides the private viewkey of her wallet to an auditor, the auditor is then able to track every coins received by the associated address. Although the private viewkey enables such thing, it is impossible for the auditor to steal the coins from the user by using the private viewkey. It is also impossible for the auditors to determine whether the coins have been spent.

The private viewkey can also be utilized to launch an attack to Monero unlinkability. It is assumed that the anonymity of a user depends on the anonymity of other users. The private viewkeys can be used to distinguish between the outputs sent to the owner of the private viewkeys and the outputs sent back to the sender (the change).

The private viewkey is considered as a feature rather than a weakness. It is used mainly for cases requiring compliance, such as charities [18]. Although, after the audit it is not possible to regain the unlinkability feature without creating a new address and move all the balance to the new address. There is a risk when the auditor behaves maliciously by publishing the private viewkeys, then the owner suffers the anonymity problem.




Fig. 2. A Private Viewkey Determines All Incoming Outputs (Payments). The private viewkey can determine the outputs sent to the corresponding address by scanning all transactions in the blockchain (black arrows).

IV. OUR PROPOSED ATTACK

A. Overview

The proposed attack scheme utilizes the leniency of the Monero daemon towards the transaction creation by the Monero wallet. Monero daemon only checks the validity of the transactions submitted. Those transactions require correct balances and valid digital signatures. The ring construction is entirely processed by the wallet. Monero daemon helps the wallet by providing public keys information based on indexes selected by the wallet.

Based on the Monero protocol as described, it is possible to construct a malicious transaction to reduce the k -anonymity or even de-anonymize Monero transactions. We will show that the impact of the proposed attack is similar to cascade effect from the zero mixin transaction.

B. The Proposed Method

The proposed attack is divided into three phases: preparation, setup, and attack. The attack phase has two different methods, the passive and active attack. Each of the phases will be explained below.

1) Preparation Phase

For each thread of attack, the attacker needs to have a number of unspent outputs. The number of outputs depends on the minimum ring size r required by Monero system. For version 6 (Helium Hydra), the minimum ring size r is five and therefore the minimum number of outputs required by the attacker is equal to that number. The purpose of the preparation phase is to have a set of unspent outputs in which every single output will be spent in the setup phase. If the attacker has more unspent outputs than the minimum ring size but less than multiples of r , then the remaining outputs can be used during attack phase.

Since the deployment of RingCT, it is not necessary to have the same amount of coins for each output. Therefore, an attacker can use a small amount of coins split across multiple outputs. It means that an attacker can only focus on paying the transaction fees and do not need to have extra reserved coins.

The number of threads to be created by an attacker depends on the type of attack that the attacker wants to use. If the attacker intends to launch a passive attack, then the attacker needs to create as many threads as possible. The success of the attacker depends on the number of threads created by the attacker, whereas in the active attack, the attacker only needs to create one thread. The outputs will be reused in the forthcoming transactions, which will not reduce the effectiveness of the attack, although it might rise suspicion if a certain output is reused many times.

2) Setup Phase

In the phase, it is required to create exact r inputs for each attack thread. It means there will be r rings created by the attacker. Each ring will spend a transaction output owned by the attacker. Let a set of l public keys $L = [PK_A, PK_B, PK_C, PK_D, PK_E, \dots]$ and their secret key image pairs $K = [I_A, I_B, I_C, I_D, I_E, \dots]$. The number of public keys in L is equal

to r . The decoys for each ring is chosen from L as shown in Fig. 3.

The inputs can be included in a transaction or multiple transactions, but it is more cost-effective to have r inputs all in the same transaction. The setup phase has a similar effect as the zero mixin transaction, with one difference. In the zero mixin transaction, anyone can precisely determine which input spends an output. In this setup phase, it is infeasible to determine the exact input that spends a particular output. We can only say that all inputs in the setup phase spend all members of L regardless of which input spends which output. The focus of the setup phase is to nullify the probability of other transactions spending any member of L .




Fig. 3. The Setup Phase Where $r = 5$.

If the attacker does not create r inputs where all of the outputs are the member of L , then the requirement to recreate the zero mixin transaction effect is not fulfilled. Other observers cannot detect whether the inputs have been spent and therefore the attack phase cannot be conducted.

3) Attack Phase

There are two types of attack which can be launched: passive attack and active attack. Each attack has different purposes and different methods. Both will be further described.

Passive attack. The purpose of the passive attack is to allow the outputs spent (members of L) in the setup phase to be used by other users in multiple transactions. If it happens, the observer can omit the public keys as they have been spent by transactions created in the setup phase and it is not possible to re-spend the public keys in any other transactions. These transactions suffer a reduced k -anonymity. The degree of the reduced k -anonymity depends on the number of decoys coming from the transactions in the setup phase. The example in Fig. 4 depicts a case with a reduced anonymity by 2, according to the number of spent public keys used as decoys.

Active attack. Let there be a malicious Monero wallet service run by Attacker B. The purpose of the wallet is not to steal the coins owned by the users but to make the transactions traceable. The wallet knows the public keys L and use them as decoys in the ring signature as in Fig. 5.

The active attack is efficient when targeting others' outputs, especially when the attack protocol is implemented

in a wallet. The user might not be able to determine the malicious behavior of the wallet as long as they create the transactions successfully.




Fig. 4. The Passive Attack.

There are differences between the passive attack and the active attack. In the passive attack, the attacker analyses the result of the setup phase and collects information about other transactions which suffer reduced anonymity. In the active attack, the attacker is able to completely remove the anonymity of the inputs. In the passive attack, it is not required to setup any services (coin exchanges or wallet services) to be used by the users, while in the active attack, these services are compromised and the attack only happens to the service users.




Fig. 5. The Active Attack.

C. Proof of Concept

As a proof of concept of our proposed attack, we conducted the preparation phase and setup phase. We modify the source code of Monero to create a malicious wallet with the ability of creating transactions which comply with our scheme, in particular `simplewallet.cpp` and `wallet2.cpp`.

1) Preparation Phase

Instead of having a normal protocol when picking indexes from the histogram data, we pick the indexes from the public keys stored in our own wallet. Therefore, as the wallet also stores the global index for each outputs, it is not necessary to create any requests to the daemon for the data as the wallet itself can supply all necessary requirements.

We have successfully launched the preparation phase and setup phase into the Monero mainnet. The setup phase

consists of one thread with $r = 5$. The transaction ID for the preparation phase is:

b6781f2a6f5608553546442b84888346fdc3f78d
d8995170180ed74081c05362.

2) Setup Phase

We have executed the setup phase with transaction ID of the following:

8d4a0c7eccf92542eb5e1f09e72cc0d934b180b7
68bc95388d33051db83194bb.

The detail of the transactions can be accessed through any online Monero blockchain explorers such as Xmrchain.net.

D. Our Proposed Attack Compared to Existing Attacks

Compared to the Black Marble Attack, our proposed attack is better in a coordinated attack scenario of multiple attackers. Each attacker conducts the attack and the result of the attack can also be evaluated by other attackers without any additional information such as private viewkeys. In our proposed attack, the transaction does not need to be sent to our own address and therefore can be easily implemented in existing online services such as exchanges or wallet services. The exchanges or the wallet services do not need to spend any extra transaction fees since they only need to implement the technique into the system and convert their regular transactions into malicious transactions where only the anonymity of the transactions is reduced.

Our proposed attack does not rely on the existence of zero mixin transaction which becomes obsolete when Monero was upgraded to have RingCT and mandatory minimum number of mixins. The setup phase recreates the similar impact of the zero mixin transaction, and the attack phase recreates the cascade effect of zero mixin transaction.

Our proposed attack is even more effective to be launched in RingCT-enabled system, because an attacker does not need to attack multiple coin denominations and only focus on one denomination. Moreover, the RingCT enables the attacker to use a small amount of coins. The system cannot detect the amount of coins sent and therefore even the attacker sends zero coin, the system will still accept it.

Our attack has a higher precision rate compared to temporal analysis. In temporal analysis, the attack depends on how the decoys are sampled among all available outputs in the system. If the sampling algorithm is optimum, then temporal analysis cannot determine the real output being spent in the input. Our attack can precisely determine the real output in the input with 100% accuracy. The summary of the comparison can be found in Table I.

TABLE I. COMPARING ATTACK METHODS

Factors	BM	ZM	TA	PPV	Ours
Collaboration between attackers	X	V	X	X	V
Requires no extra fees	X	V	V	X	V
RingCT resistant	V	X	V	V	V
Minimum mixin resistant	V	X	V	V	V
Accuracy in determining real outputs	V	V	X	V	V

V. CONCLUSION AND FURTHER WORK

We have proposed and demonstrated a new attack against the untraceability of Monero system. We showed that the anonymity of the system relies on the implementation of the wallet and the construction of each transaction. Our attack explores the weakness of the ring signature assumption where the sampling algorithm for the mixins is assumed to be random.

Malicious wallets can break the users' anonymity without necessarily stealing the money owned by the users. Detecting such activities require efforts by scanning all existing combinations of the ring construction ever existed in the blockchain and it is unlikely that unaware users detect such activity as long as they do not lose their money.

Based on our research, it is important to enhance the protocol to protect the anonymity of the users without trusting the wallet, since the wallet can construct a transaction which will reduce or eliminate the anonymity of the transaction. Detection and blacklisting are two alternative methods to avoid such attack.

Our proposed attack method can also be implemented in other systems where ring signature scheme is used, e.g. electronic voting (e-voting). Such system suffers our attack in the following scenario. Suppose there is an election where multiple candidates compete for a position in the government. A candidate wants to "buy votes" from the voters in order to win the election. Since the e-voting is employing ring signature, the candidate buys the votes in bulk. In order to do this, a vote-seller coordinator is required. The coordinator lists all vote sellers and creates groups of these sellers based on the ring size n used by the e-voting system. Each group consists of n vote seller. Then, each group member informs her public keys to be used as one of the decoys by other members. Each group constructs n transactions having identical ring members to cast votes for the candidate. The transaction construction resembles our proposed setup phase.

REFERENCES

- [1] S. Nakamoto, "Bitcoin: A peer-to-peer electronic cash system," 2008, Available: <http://bitcoin.org/bitcoin.pdf>.
- [2] N. van Saberhagen, "Cryptonote v 2. 0," 2013.
- [3] S. Meiklejohn *et al.*, "A Fistful of Bitcoins: Characterizing Payments Among Men with No Names," *USENIX ;login.*, 2013.
- [4] D. Ron and A. Shamir, "Quantitative analysis of the full bitcoin transaction graph," in *Financial Cryptography and Data Security*, 2013, pp. 6-24: Springer.
- [5] A. Kumar, C. Fischer, S. Tople, and P. Saxena, "A Traceability Analysis of Monero's Blockchain," *IACR Cryptology ePrint Archive*, vol. 2017, p. 338, 2017.
- [6] A. Miller, M. Möser, K. Lee, and A. Narayanan, "An Empirical Analysis of Linkability in the Monero Blockchain," *arXiv preprint arXiv:1704.04299*, 2017.
- [7] J. K. Liu, V. K. Wei, and D. S. Wong, "Linkable spontaneous anonymous group signature for ad hoc groups," *Australasian Conference on Information Security and Privacy*, pp. 325-335, 2004.
- [8] E. Fujisaki and K. Suzuki, "Traceable ring signature," *Public Key Cryptography*, vol. 4450, pp. 181-200, 2007.
- [9] M. V. Alstyne, "Why Bitcoin has value," *Commun. ACM*, vol. 57, no. 5, pp. 30-32, 2014.
- [10] P. Todd. (2014). *Stealth Addresses*. Available: <http://sourceforge.net/p/bitcoin/mailman/message/31813471/>
- [11] unSYSTEM Wiki. (2014). *DarkWallet/Stealth*. Available: <https://wiki.unsystem.net/en/index.php/DarkWallet/Stealth>
- [12] S. Noether and S. Noether, "Monero is Not That Mysterious," 2014.
- [13] G. Maxwell. (2015). *Confidential Transactions*. Available: https://people.xiph.org/~greg/confidential_values.txt
- [14] S. Noether and A. Mackenzie, "Ring confidential transactions," *Ledger*, vol. 1, pp. 1-18, 2016.
- [15] L. Sweeney, "k-anonymity: A model for protecting privacy," *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, vol. 10, no. 05, pp. 557-570, 2002.
- [16] S. Noether, S. Noether, and A. Mackenzie, "Mrl-0001: A note on chain reactions in traceability in cryptonote 2.0," Technical report 2014.
- [17] A. Mackenzie, S. Noether, and M. C. Team, "Improving Obfuscation in the CryptoNote Protocol," 2015.
- [18] Moneroblocks. (n.d). *Richlist*. Available: <https://moneroblocks.info/richlist>